

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	access with allow\$4 with proxy with fail\$4 and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:16
L2	2	access with allow\$4 with proxy with down\$4 and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:17
L3	32	access with proxy with down\$4 and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:17
L4	14	access with proxy with down\$2 and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:18
L5	0	access with proxy with break\$2 and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:30
L6	7	access with proxy with fail\$2 and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:25
L7	10665314	proxy with fail\$2 same fail with overand @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:26
L8	13	proxy with fail\$2 same fail with over and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 09:02
L9	1	("5623600").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/09 08:28
L10	0	(2002/0091757).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/09 08:29
L11	1	("20020091757").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/09 08:29
L12	35	attributes same password same domain same address and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:35

L13	12325	network same header same ip address same domain and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:35
L14	10552	network same header with ip address same domain and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:35
L15	20	network same header with ip adj address same domain and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:37
L16	6	network with header with ip adj address same domain and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:37
L17	1	request with header with ip adj address same domain adj name and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:38
L18	204	request with ip adj address same domain adj name and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:38
L19	121	request with ip adj address with domain adj name and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:38
L20	0	request with id with password with ip adj address with domain adj name and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:39
L21	3	request with id with ip adj address with domain adj name and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:40
L22	24	request with user with ip adj address with domain adj name and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:41
L23	19	password with ip adj address with domain adj name and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:41
L24	1	("5623600").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/09 09:02

S33	3659	proxy adj server and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:27
S34	34	proxy adj server same scan and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:01
S35	1	proxy adj server and configure same virus adj scan and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:01
S36	4	configure same virus adj scan and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:02
S37	0	configure same intrusion adj detection and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:02
S38	26	configure same intrusion adj detection and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:04
S39	147	scan same file adj type and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:04
S40	63	scan with file adj type and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:06
S41	13	scan with file adj type same (virus or malware or trojan adj horse or worm) and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:11
S42	12071671	file adj type same (virus or malware or trojan adj horse or worm) same algorithm and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:12
S43	2	file adj type same (virus or malware or trojan adj horse or worm) same algorithm and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:13
S44	106	type same (virus or malware or trojan adj horse or worm) same algorithm and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:13

S45	37	type same (virus or malware or trojan adj horse or worm) same algorithm and file and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:23
S46	1	("20020091757").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/07 12:24
S47	9	proxy adj server same file adj access and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:29
S48	0	proxy with intercept with attempt and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:29
S49	17	proxy with intercept with attempt and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:40
S50	152	proxy same scan and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:41
S51	12	"713"/\$.ccls. and proxy same scan and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 12:42
S52	40	proxy same NFS and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 13:01
S61	779568	company internet same policy same proxy and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/07 14:54
S77	0	proxy adj server with "same ID" and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 13:40
S78	0	proxy adj server with "same Identification" and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 13:40
S79	5	proxy adj server with "same Ip" and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 13:47

S80	586	lan with identifier and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 13:57
S81	0	proxy with multiple adj id\$3 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 13:57
S82	1	proxy with multiple adj identif\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 13:58
S83	26	proxy with multiple with IP adj address\$3 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 14:08
S84	24	proxy with dns adj name and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 14:15
S85	3	(proxy or router or hub) with "same name" with client and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 14:16
S86	6	(proxy or router or hub) with "same group" with client and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 14:20
S87	9	(proxy or router or hub) with "same ip" with client and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 14:22
S88	187	(proxy or router or hub) with (id or identity) with client and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 14:27
S89	10	(proxy or router or hub) with session adj ID with client and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 14:29
S90	59	(proxy or router or hub) with client with network with name and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 14:55
S91	467	proxy with LAN and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 14:55

S92	35845	"713"/\$.ccls. amd proxy with LAN and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 14:56
S93	29	"713"/\$.ccls. and proxy with LAN and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 14:58
S94	22	clients with proxy same multiple with ip adj address\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 15:01
S95	508	client same proxy same ip adj address\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 15:05
S96	275	proxying and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 15:06
S97	83	proxy same port with forward\$3 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 15:19
S98	343	router with IP with MAc and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 15:19
S99	308	router with IP with MAc with address\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 15:20
S100	12	router adj table with IP with MAc with address\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 15:22
S101	513	router adj table and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 16:14
S102	1	("6088803").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/08 16:15
S103	0	load with balance same proxy same nfs and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 16:17

S10 4	31	load with balance same proxy and nfs and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 16:17
S10 5	113	load with balance and nfs and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 16:41
S10 6	0	virus same threshold same file and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 16:41
S10 7	20	virus same file adj type and @ad<"20000308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/09 08:15